



Chemifloc Ltd.

Chemical Manufacturers.

Smithstown Industrial Estate, Shannon, Co. Clare, Ireland.

Telephone: +353 61 708699, Fax: +353 61 708698

e-mail: info@chemifloc.ie

Product Specification:

Antifoam S10

Parameter	Specification
Chemical type	An emulsion of dimethyl polysiloxane
Ionic charge	Non ionic / Anionic
Appearance	White emulsion
Water miscibility	Forms a good dispersion
Fluidity	Viscosity < 500cPs @ 20°C DIN 53019 100 rpm
Cleanliness	No particles after screening through 400 micron screen
Emulsion particle size	90% < 100 micron
Water content	Not greater than 90%
Storage	Store in closed containers. Avoid extreme temperatures
Stability	6 months minimum
Packaging	25 litres, 205 litres and 1000 litres

Application

Normally used as delivered. Where very small quantities are to be added it can be pre-diluted with soft or distilled water. The level of addition recommended is normally between 5 – 50 ppm and should be optimised by trial.

Approved by: Fergal Gallagher
Date: 30th August 2006

Revision No.: 1