

SNF (UK) Limited, 1 Red Hall Crescent, Paragon Business Village, Wakefield WF1 2DF, United Kingdom  
 phone: 01924-311000, e-mail: regs@snf.com

## FLOPAM™ FO 4800 SH

Form:	Granular solid
Color :	White
Ionic character:	Cationic
Charge density:	Very high
Molecular Weight:	High
Particle size:	> 2 mm : <= 2 % < 0.15 mm : <= 6 %
Approx. bulk density:	0.68
Brookfield viscosity† (cP):	@ 5.0 g/L : 600 @ 2.5 g/L : 320 @ 1.0 g/L : 150
pH:	2.5 - 4.5 @ 5 g/L
Recommended working concentration (g/L):	4
Maximum use concentration (g/L):	10
Dissolution time (minutes) in DI water @ 5 g/L, 25°C:	60
Stability of DI solution (days):	1
Storage temperature (°C):	0 - 35
Shelf life (months)*:	24

† Average values given for determination of preparation and dosing equipment for which a viscosity 10 times lower can be used.

\* When stored inside a building at a stable temperature between 5°C and 30°C.

### Packing sizes

Multiwall bags	25 kg
Big Bags	750 kg
Other dimensions	On request

The data in this Technical Data Sheet is provided for information only. It is correct to the best of our knowledge, information and belief at the date of its publication. It does not constitute a specification and no liability is assumed, nor freedom from any existing patents.